



GVT/PGVT 800x1600MM

www.qurovitrified.com



EXEUNT OF OUR LINE UP



HIGH GLOSS


Super gloss finishing and a touch of glorified glamour is what make these tiles an exception. Their sophisticated outlook and trendy colors shimmer and brighten up the mood & spaces.

POLISHED




Fine finishing and smoothness of tile surface make this collection another beautiful heaven of possibilities. Smart choice of tiles goes hand in hand with any interior decors.

GLINT



CARVING



The surface of the tiles are given an extra cosy effect by carving out surface of the tile in a creative way, whichadds glamour and attraction to your interiors.



METALLIC

Trendy and appealing designs of these tiles are total hitand dearly favorable. Bring home a new kind of interior designing and watch these tiles transforming your boring gloomy spaces into fun and functionality.





Textural smoothness combined with fascinating colour schemes open a vast range of possibilities for your space. It becomes very difficult for the onlookers to stay away from the tempting impulse to touch those tiles.



MATT

Sobriety of surface quality and boldness of this collection is something as unique as your personality. Not so loud yet full of creative surprises are much welcomed for an extraordinary surrounding.



BATTER
INNOUATION
WITH
BIGGER
SIZE

OUR COMPANY


Our identity can best be described in three words: Enthusiasm, Skills and Flexibility. The enthusiasm that guides our work and brings it to life, acting as a driver for growth, excellence and the pursuit of new solutions. Skills are our ability to improve and to reach higher standards every day, thanks to decades of know-how, investments and practical engagement. Lastly, flexibility is the route towards achieving the synergy between the company and its customers that is the most important of our aspirations.

SPACES, SKILLS & INTERACTION

Quro's cutting-edge production system combined with the high level of expertise and professionalism of the business units and comprehensive range of products allows it to effectively meet all design and commercial requirements. The company's solid structure is able to meet the demands of an evolving market, by offering an effective, accurate and high-quality services.

We know the world and we experience it every day. Every day, with a network that stretches over many countries, we come into contact with different markets and sociol-cultural contexts, in which we offer our know-how, even more than our products.

This policy has proved positive, as demonstrated by the projects undertaken and the international certifications obtained. This is the proof of the "Made in India" model we export: the ability to innovate and to reinvent the spirit rooted in our traditions, together with the constantly improving quality of our products



Get advantage of technical characteristics with Our slab



LIGHT WEIGHT



FLEXIBLE STRENGTH



CHEMICAL RESISTANCE



FLEXURAL STRENGTH



WEAR RESISTANCE



WATERPROOF SURFACE



RESISTANCE TO FIRE



FROST RESISTANCE



IMPACT RESISTENCE



HYGIENIC SURFACE



SCRATCH RESISTANCE



ECO FRIENDLY



RECTIFIED BODY



SLIP RESISTANT



STAIN RESISTANT



DIMENSIONAL STABILITY



Our creation has been categorized and sorted in cool trendy ways. It is easier to pick and decorate your own surroundings just the way you want. More options and better judgments about our various tiles will conquer your heart once and for all.






\ STATUARIO ONE



\ STATUARIO BLANCO









Technical features \

| Image: Commercial Space | Public Space | Counter Tops | Cladding Space
















\ STATUARIO ABSOLUTE
































\ STATUARIO SUPER



\ SPIDER BIANCO































\ ROBINSON WHITE







Finish \ POLISHED

80x 160cm

































BOOK MATCH - A+B

Finish \ POLISHED




























Finish \ POLISHED













\ ONYX HEILO



\ ONYX SPACE































POLISHED

Technical features \

| Image: Commencial Space | Counter Character | Counter | Counter Character | Counter | Counter Character | Counter | Counter Character | Counte



POLISHED

Technical features \

| Image: Application of the company of the c










\ ONYX OCEAN
















Technical features \

| Image: Commercial Space | Public Space | Counter Tops | Cladding Space























Finish \ POLISHED





















\ HOLLAND WHITE













Technical features \

| Image: Commercial Space | Public Space | Counter Tops | Cladding Space





















\ ARMANI GRIS







Finish \ POLISHED




















Finish \ POLISHED



























Technical features \

| Image: Commencial Space | Counter Character | Counter | Counter Character | Counter | Counter Character | Counter | Counter Character | Counte



Technical features \

| Image: Commercial Space | Public Space | Counter Count



\ ONYX GEM



\ PICASO OLIVE







Finish \ POLISHED


























\ ITALICO BEIGE







Technical features \

MIN. 3MM 9MM SPACER THICKNESS SPACE COMMERCIAL SPACE SPACE COUNTER TOPS CLADDING FACADE



















\ CRYSTAL CREMA



\ CRYSTAL BEIGE





























\ CRYSTAL GREY





Finish \ POLISHED
























\ ROYAL BURBERRY



\ ROZALLIA BROWN









Technical features

MIN. 3MM 9MM SPACER THICKN

























POLISHED

Technical features






























\ FUSION BEIGE













Technical features \

| Image: Commercial features | Image: Commercial fea

















\ ARIA CANDY

































\ SAHARA BEIGE













Technical features \

MIN. 3MM 9MM 9MM LIVING COMMERCIAL SPACE SPACE





















\ MOONSTONE BEIGE

































\ EMPERADOR NUOVO








































Finish \ POLISHED



















\ ELEGENT SILVER



\ GRANDE VENA






























\ TRAVERTINO CLASSICO



\ TRAVERTINE DARK







Finish \ POLISHED

Technical features \

| Image: Commencial Space | Counter Character | Counter | Counter Character | Counter | Counter Character | Counter | Counter Character | Counte




















\ FRAPPUCCINO









BOOK MATCH - A+B

Finish \ POLISHED































\ CALCUTTA INFINITY













Technical features \

| Image: Commercial features | Image: Commercial fea
























Finish \ HIGH GLOSS





























\ PEBBLE DECK





Finish \
HIGH GLOSS

Technical features

MIN. 3MM

9MM THICKNESS



















\ TRAVERTINE ARANCIA \ LUSTRO VENEER Finish \ 80x 160cm HIGH GLOSS

Technical features \

| Image: Commercial Space | Public Space | Counter Tops | Cladding Space

\ BLACK PORTORO



\ PORTORO











Technical features \

| Image: Application of the company of the c








80x 160cm



\ SAINT LAURENT


































\ RAINBOW ROCK



\ RIVER BLACK






























\ ESTRADA













Technical features \

| Image: Commencial Space | Counter Character | Counter | Counter Character | Counter | Counter Character | Counter | Counter Character | Counte






















\ EMPERADOR DARK



\ FRAPPUCCINO NATURAL









Technical features \

| Image: Commercial features | Image: Commercial fea


































\ SILK ARMANI GREY







Finish \ SILK

























\ BOTTOCINO CLASSIC





Finish \ **GLINT**

Technical features \

| Image: Commercial Space | Public Space | Counter Tops | Cladding Space
















\ GLINT BIANCO



\ GLINT TRAVERTINO






























\ ACTIVE COPPER











Finish \ METALLIC















\ METAL ALLOY











Finish \ METALLIC





























MATT

Finish \































MATT

Technical features \

| Image: Commercial Space | Public Space | Counter Count




















Technical features \

| Image: Commercial Space | Public Space | Counter Count



\ STONE BEIGE **\ STONE BROWN**



























\ MONALISA GREY





Finish \ MATT
















80x 160cm



































\ TIMBER WOOD





























80x 160cm



TECHNICAL SPECIFICATIONS

| CHARACTERISTICS | STANDARD AS PER ISO-13006/EN14411 GROUP BIA | MEAN VALUE OF OUR PGVT | MEAN VALUE OF OUR GVT | TEST METHOD |
|--|---|---------------------------|---------------------------|--------------|
| REGULATORY PROPERTIES | | | | |
| Deviation in length & width | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Deviation in thickness | ±5.0 % | ±4.0 % | ±4.0 % | ISO-10545-2 |
| Straightness in side | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Rectangularity | ±0.6 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Surface flatness | ±0.5 % | ±0.2 % | ±0.2 % | ISO-10545-2 |
| Color difference | Unaltered | No change | No change | ISO-10545-16 |
| Glossiness | As per mfg. | Min. 90% | Min. 4% | GLOSSOMETER |
| SURFACE MECHANICAL PROPERTIES | , | | | |
| Water absorption | < 0.50 % | < 0.05 % | < 0.05 % | ISO-10545-3 |
| Apparent density | > 2.0 g/cc | > 2.10 g/cc | > 2.10 g/cc | DIN 51082 |
| MASSIVE MECHANICAL PROPERTIES | | | | |
| Modulus of rupture | Min. 35 N/mm² | Min. 40 N/mm² | Min. 40 N/mm² | ISO-10545-4 |
| Breaking strength | Min. 1300 N | Min. 2000 N | Min. 2000 N | ISO-10545-4 |
| Impact resistance | As per mfg. | Min. 0.55 | Min. 0.55 | ISO-10545-5 |
| SURFACE MECHANICAL PROPERTIES | | | | |
| Surface abrasion resistance | As per mfg | Min. Class-3 | Min. Class-4 | ISO-10545-7 |
| MOH's hardness | As per mfg | Min. 4 | Min. 5 | EN 101 |
| THERMO HYDROMETRIC PROPERTIES | | ., | | |
| Frost resistance | No damage | No damage | No damage | ISO-10545-12 |
| Thermal shock resistance | No damage | No damage | No damage | ISO-10545-9 |
| Moisture expansion | Nil | Nil | Nil | ISO-10545-10 |
| Thermal expansion (COE) | Max. 9.0x10⁴ | Max. 6.5x10 ⁻⁶ | Max. 6.5x10 ⁻⁶ | ISO-10545-8 |
| Crazing resistance | As per mfg. | Min. 10 Cycle | Min. 10 Cycle | ISO-10545-11 |
| CHEMICAL PROPERTIES | | | | |
| Chemical resistance | No damage | No damage | No damage | ISO-10545-13 |
| Stain resistance | Resistant | Resistant | Resistant | ISO-10545-14 |
| SAFETY PROPERTIES | | | | |
| Slip resistance | As per mfg. | > 0.40 | > 0.40 | ISO-10545-17 |
| Fire resistance | As per mfg. | Fireproof | Fireproof | N. A. |
| Lead & Cadmium given off by glazed tiles | As per mfg. | Doesn't yield Pb & Cd | Doesn't yield Pb & Cd | ISO-10545-15 |

PACKING DETAILS

| Sr. No. | Size | Thickness (approx*) | Pieces / Box | Area / Box (approx*) | | Packing |
|---------|----------|------------------------|--------------|-------------------------|---------------|---------|
| 1 | 80x160cm | 9 to 9.5 mm | 2 pcs. | 2.56 sq. mtr. | 27.55 sq. ft. | Вох |

EXCLUSIVE FEATURES OF OUR TILES

AS FLOOR TILES FOR CONTINUOUS SURFACES WITH ALL THE GUARANTEED SAFETY THAT OF 9mm THICKNESS PROVIDES.

AS WALL TILES TO DRESS PRESTIGIOUS SPACES AND SCENIC WALLS WITH A SINGLE SLAB AND VERTICAL INSTALLATION.

AS FOR OUTDOORS FOR VENTILATES FACADES THAT ARE LARGE AND ENDURING.

AS DESIGN APPLICATIONS AS A BACKSPLASH, KITCHEN TOPS, COUNTER TOPS AND SPECTACULAR EXPANSES.

UNALTERABLE OVER TIME:

Colour and brightness does not change over time.

STAIN, DETERGENT AND SCRATCH RESISTANT:

Resistant to chemicals: it is non-porous and resistant to acids.

HIGH BREAKING LOAD STRENGTH:

Resistant to loads, compression and bending.

EASY TO HANDLE AND TO MAINTAIN:

Doesn't require special water proofing treatments after installation.

CONSISTENCY OF SURFACE IN SUBSEQUENT PRODUCT RUNS:

Shades and graphics remain the same and are completely reproducible in every subsequent production run.

THE EXCELLENCE OF PORCELAIN STONEWARE:

The expressive aesthetics of large slabs combined with the properties and advantages of Vitrified stoneware in 9mm thickness, offering the same technical performance as more traditional formats, actually surpassing those of the natural material.

MORE IMPACT FOR INTERIOR & ARCHITECTURE:

Infinity Slab dictates the elegant and residential spaces where luxury and contemporary design meet. Perfect for creating floors and walls of tremendous impact in prestigious hospitality venues, in wiliness areas and in dining areas.

MAJESTIC SPLENDOUR:

The Infinity Slab 120x240mm, 120x120mm and 80x160mm Vitrified stoneware sizes make INFINITY SLAB a veritable furnishing and design element. The large slabs can be combined with the other marble effect surfaces of Ours for elegant chromatic compositions

POWERFUL BEAUTY:

Large vitrified stoneware slabs that reinterpret the luxury of marble can be used outdoors in extensive ventilated facades for total continuity with the indoor spaces, or for outdoor commercial spaces of the utmost visual impact.

SEDUCTIVE DESIGN:

The myriad of advantages of vitrified stoneware include resistance to slipping, resistance to stains and detergents, the visual potential of the large 120x240mm, 120x120mm and 80x160mm sizes and the precious look of marble, for contemporary spaces of tremendous aesthetic seduction.

MARVELLOUS MASTERPIECE:

The large size marble-inspired vitrified stoneware slabs reinterpret a selection of prestigious natural marble with absolute fidelity, creating planning harmony with the Marvel decor for residential and commercial ambiences of strong character.

EXCELLENT PRIVILEGE:

Veining and natural shading lend character to wide expanse of marble effect porcelain stoneware surfaces of high graphic variability and realistic aesthetics rich in detail. The honed surface exudes the luminosity and unevenness of the matter of inspiration, making floors, panels and expenses polished and mirror-like.





Corporate Office : Ser. No. 197, Nr. Amardham Temple, Matel Tal. Wankaner, Dist. Morbi - 363 621. Gujarat, INDIA.

Contact No.:

+91 99784 99883, +91 84012 13100

Email:

export@qurovitrified.com

Web:

www.qurovitrified.com